This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

APPLN. FILING DATE: MARCH 24, 2004

FITLE: PARALLEL FIELD ELECTRODE

CONFIGURATIONS FOR ELECTRORHEOLOGICAL

FLUID APPLICATIONS

INVENTOR(S): PING SHENG ET AL.

ATTORNEY DOCKET NO.: 016660-213 SHEET 1 OF 4




FIGURE 1




FIGURE 2

APPLN. FILING DATE: MARCH 24, 2004
TITLE: PARALLEL FIELD ELECTRODE
CONFIGURATIONS FOR ELECTRORHEOLOGICAL FLUID APPLICATIONS
INVENTOR(S): PING SHENG ET AL.
ATTORNEY DOCKET No.: 016660-213 SHEET 2 OF 4





Figure 3(a)

Figure 3(b)



Electric Field (kV/mm)

APPLN. FILING DATE: MARCH 24, 2004
FITLE: PARALLEL FIELD ELECTRODE
CONFIGURATIONS FOR ELECTRORHEOLOGICAL
FLUID APPLICATIONS
INVENTOR(S): PING SHENG ET AL.
ATTORNEY DOCKET NO.: 016660-213 SHEET 3 OF 4




FIGURE 5




FIGURE 6

APPLN. FILING DATE: MARCH 24, 2004
TITLE: PARALLEL FIELD ELECTRODE
CONFIGURATIONS FOR ELECTRORHEOLOGICAL
FLUID APPLICATIONS
INVENTOR(S): PING SHENG ET AL.
ATTORNEY DOCKET NO.: 016660-213 SHEET 4 OF 4




FIGURE 7A




FIGURE 7B